ELSEVIER

Ultrasonics 38 (2000) 987–995

Ultrasonics

www.elsevier.nl/locate/ultras

Author Index to Volume 38

Abeyratne, U.R., see Tang, X. 688
Acosta-Aparicio, V.M., see Gallego-Juárez, J.A. 331
Adler, L., see Mattei, C. 570
Aguiar, A.R. and Angel, Y.C.
Ultrasonic reflection from randomly distributed cylindrical cavities 842
Akashi, N., Kushibiki, J.-I., Dunn, F.
Measurements of acousitc properites of aqueous dextran solutions in the VHF/UHF range 915
Albareda, A., Pérez, R., Kayombo, J.-H., Minguella, E., Casals, J.-A. and de Espinosa, F.M.
Nonlinear mechanical behavior of piezocomposites for ultrasonic transducers 151
Alem, K., see Bouda, A.B. 224
Alippi, A., Bettucci, A. and Germano, M.
Anomalous propagation characteristics of evanescent waves 817
Amelio, S., see Rabe, U. 430
Amulele, G.M. and Every, A.G.
Wave propagation in an anisotropic nickel-based superalloy 252
Anaya, J.J., see Hernández, M.G. 531
Anaya, J.J., see Izquierdo, M.A.G. 500
Anderson, M.E., see Bohs, L.N. 369
Angel, Y.C., see Aguiar, A.R. 842
Anthony, P., see Böhm, H. 629
Arnold, W., see Rabe, U. 430
Arnold, W., see Wegner, A. 316
Assaad, J., see Moulin, E. 522

Balageas, D., see Moulin, E. 522
Balasubramaniam, K., see Shah, V.V. 921
Ballato, A.
Piezoelectric excitation of semiconductor plates 849
Banchet, J., Cancian, J. and Cheeke, J.D.N.
Measurement of the acoustic nonlinearity parameter in 1-alkanols 301
Barbone, P.E., see Hallaj, I.M. 885
Bauer, M., see Büttner, O. 443
Baumann, J., see Rothenfusser, M. 322
Bautista, R., see Lewin, P.A. 135
Beals, J.T., see Lavrentyev, A.I. 513
Benchaala, A., see Bouda, A.B. 224
Benchaala, A., see Drai, R. 503
Benedito, J., Carcel, J.A., Sanjuan, N. and Mulet, A.
Use of ultrasound to assess Cheddar cheese characteristics 727
Benes, E., see Böhm, H. 629
Benes, E., see Radel, S. 633
Berezina, S., Blank, V., Levin, V. and Prokhorov, V.
Observation of ultrasound velocity gradient in fullerene ceramics by acoustic microscopy 327
Berger, G., see Lheureux, D. 391
Bergman, R., see Levitsky, S. 857
Bettucci, A., see Alippi, A. 817
Bey Temsamani, A., Vandenplas, S. and Van Biesen, L.
Experimental investigation of bounded beam reflection from plane interfaces in the vicinity of leaky waves angles 749
Biesen, L.V., see Vandenplas, S. 195
Birer, A., see Sferruzza, J.P. 965
Bjærum, S. and Torp, H.
Statistical evaluation of clutter filters in color flowing imaging 376
Blanc, M., see Schwaller, P. 212
Blank, V., see Berezina, S. 327
Blessing, G.V., see Hwang, T.W. 614
Blomme, E., Gondek, G., Katkowski, T., Kwiek, P., Sliwinski, A. and Leroy, O.
On the polarization of light diffracted by ultrasound 575
Böhm, H., Anthony, P., Davey, M.R., Briarty, L.G., Power, J.B., Lowe, K.C., Benes, E. and Gröschl, M.
Viability of plant cell suspensions exposed to homogeneous ultrasonic fields of different energy density and wave type 629
Bohs, L.N., Geiman, B.J., Anderson, M.E., Gebhart, S.C. and Trahey, G.E.
Speckle tracking for multi-dimensional flow estimation 369
Bom, N., see van der Steen, A.F.W. 363
Borsboom, J.M.G., see van der Steen, A.F.W. 363
Boschung, P., see Schwaller, P. 212
Bouakaz, A., see de Jong, N. 87
Bouda, A.B., Benchaala, A. and Alem, K.
Ultrasonic characterization of materials hardness 224
Boutkedjirt, T. and Reibold, R.
Improvement of the lateral resolution of finite-size hydrophones by deconvolution 745
Breteau, J.-M., see Gusev, V. 475
Briarty, L.G., see Böhm, H. 629
Briggs, G.A.D., see Lefeuvre, O. 459
Brysev, A., Pernod, P. and Preobrazhensky, V.
Magneto-acoustic ceramics for parametric sound wave phase conjugators 834
Büttner, O., Bauer, M., Rueff, A., Demokritov, S.O., Hillebrands, B., Slavin, A.N., Kostylev, M.P. and Kalinikos, B.A.
Space- and time-resolved Brillouin light scattering from nonlinear spin-wave packets 443

Cakareski, Z., see Pedersen, P.C. 486
Calmon, P., see Croce, R. 537
Caltagirone, J.-P., see Laborde, J.-L. 297
Campos-Pozuelo, C., see Dubus, B. 337
Campos-Pozuelo, C., see Gallego-Juárez, J.A. 331
Cancian, J., see Banchet, J. 301
Carcel, J.A., see Benedito, J. 727
Cardone, G., see Cincotti, G. 156
Cardone, G., see Cincotti, G. 937
Carlier, S.G., see van der Steen, A.F.W. 363
Carotenuto, R., see Iula, A. 41

0041-624X/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0041-624X(00)00049-4

Casals, J.-A., see Albareda, A. 151
Castaings, M. and Hosten, B.
Air-coupled measurement of plane wave, ultrasonic plate transmission for characterising anisotropic, viscoelastic materials 781
Cathignol, D., see Lavandier, B. 929
Cathignol, D., see Sferruzza, J.P. 965
Cattiaux, G., see Chatillon, S. 131
Cegarra, M., see Emeterio, J.L.S. 140
Certon, D., see Matar, O.B. 787
Céspedes, E.I., see de Korte, C.L. 387
Céspedes, E.I., see van der Steen, A.F.W. 363
Chakhlov, S., see Schmitz, V. 731
Chan, M., see Soetanto, K. 969
Chatillon, S., Cattiaux, G., Serre, M. and Roy, O.
Ultrasonic non-destructive testing of pieces of complex geometry with a flexible phased array transducer 131
Chaudhari, M.H., Forsberg, F., Voodarla, A., Saikali, F.N., Goonewardene, S., Needleman, L., Finkel, G.C. and Goldberg, B.B.
Breast tumor vascularity identified by contrast enhanced ultrasound and pathology: initial results 105
Chávez, J.A., see Salazar, J. 145
Cheeke, J.D.N., see Banchet, J. 301
Cheeke, J.D.N., see Dan, M. 566
Cheeke, J.D.N., see Zhang, Y. 114
Chen, S.
Resonant frequency method for the measurement and uncertainty analysis of acoustic and elastic properties 206
Chen, W., and Wu, J.
Reflectometry using longitudinal, shear and Rayleigh waves 909
Chenu, C., see Royer, D. 891
Chiang, C.-H., Tsai, C.-L. and Kan, Y.-C.
Acoustic inspection of bond strength of steel-reinforced mortar after exposure to elevated temperatures 534
Chiba, A., see Kobayashi, K. 676
Chiba, M., see Wakatsuki, N. 46
Chimenti, D.E., see Lobkis, O.I. 237
Chiou, H.J., see Forsberg, F. 110
Cincotti, G., Cardone, G., Gori, P. and Pappalardo, M.
A new beamforming technique for ultrasonic imaging systems 156
Cincotti, G., Cardone, G., Gori, P., and Pappalardo, M.
A novel approach to the aperture windowing in medical imaging 937
Cisneros, Z., see Vandenplas, S. 195
Cleveland, R.O., see Hallaj, I.M. 885
Coakley, W.T., Hawkes, J.J., Sobanski, M.A., Cousins, C.M. and Spengler, J.
Analytical scale ultrasonic standing wave manipulation of cells and microparticles 638
Coakley, W.T., see Cousins, C.M. 654
Comins, J.D., Every, A.G., Stoddart, P.R., Zhang, X., Crowhurst, J.C. and Hearne, G.R.
Surface Brillouin scattering of opaque solids and thin supported films 450
Cousins, C.M., Holownia, P., Hawkes, J.J., Price, C.P., Keay, P. and Coakley, W.T.
Clarification of plasma from whole human blood using ultrasound 654
Cousins, C.M., see Coakley, W.T. 638
Coyle, G., see Kehoe, L. 508
Crean, G.M., see Kehoe, L. 508
Croce, R., Calmon, P. and Paradis, L.
Modeling of propagation and echo formation in a multi-layered structure 537
Crowhurst, J.C., see Comins, J.D. 450
Curpián Alonso, J., Montero de Espinosa, F. and López-Amo, M.
Multiplexing and transmission of RF signals using an optical fiber 542

Damjanovic, D., see Tran-Huu-Hue, L.P. 219
Damjanovic, D., see Tran-Huu-Hue, L.P. 322
Dan, M., Cheeke, J.D.N. and Kondic, L.
Dependence of single-bubble sonoluminescence on ambient pressure 566
Daur, P.-C., see Henning, B. 799
Daur, P.-C., see Henning, B. 852
Davey, M.R., see Böhm, H. 629
Davies, J.R., Tapson, J. and Mortimer, B.J.P.
A novel phase locked cavity resonator for *B/A* measurements in fluids 284
de Espinosa, F.M., see Albareda, A. 151
de Jong, N., Frinking, P.J.A., Bouakaz, A. and Ten Cate, F.J.
Detection procedures of ultrasound contrast agents 87
de Korte, C.L., see Janssen, C.R.M. 417
de Korte, C.L., Woutman, H.A., van der Steen, A.F.W., Pasterkamp, G. and Céspedes, E.I.
Vascular tissue characterisation with IVUS elastography 387
de Sarabia, E.R.-F., Gallego-Juárez, J.A., Rodríguez-Corral, G., Elvira-Segura, L. and González-Gómez, I.
Application of high-power ultrasound to enhance fluid/solid particle separation processes 642
de Sarabia, E.R.-F., see Gallego-Juárez, J.A. 331
De Vadder, D. and Roubier, N.
Ultrasonic early detection of the initiation of a ductile tearing at very low temperature 215
Decremps, F., see Lheureux, D. 247
Décultot, D., see Derbesse, L. 860
Delebarre, C., see Moulin, E. 522
Demokritov, S.O., see Büttner, O. 443
Derbesse, L., Pernod, P., Latard, V., Merlen, A., Décultot, D., Touraine, N. and Maze, G.
Acoustic scattering from complex elastic shells: visualization of S_0, A_0 and A waves 860
Devaraju, V., see Lewin, P.A. 135
Dierks, K., see Henning, B. 799
Dierks, K., see Henning, B. 852
Divall, S.A. and Humphrey, V.F.
Finite difference modelling of the temperature rise in non-linear medical ultrasound fields 273
Doblhoff-Dier, O., see Radel, S. 633
Drai, R., Sellidj, F., Khelil, M. and Benchaala, A.
Elaboration of some signal processing algorithms in ultrasonic techniques: application to materials NDT 503
Dual, J., see Gsell, D. 517
Dubus, B. and Campos-Pozuelo, C.
Numerical modeling of high-power ultrasonic systems: current status and future trends 337
Dubus, B., Veksler, N.D. and Lavie, A.
Acoustic wave scattering from a composed shell reinforced by a single rib: characteristics of peripheral waves 838
Dunn, F., see Akashi, N. 915

Eccardt, P.C. and Niederer, K.
Micromachined ultrasound transducers with improved coupling factors from a CMOS compatible process 774
Elvira-Segura, L., see de Sarabia, E.R.-F. 642
Emeterio, J.L.S., Ramos, A., Sanz, P.T. and Cegarra, M.
Definition and measurement of the normalized electrical impedance of lossy piezoelectric resonators for ultrasonic transducers 140

Emeterio, J.L.S., see Ramos, A. 553
Endoh, S., see Hayashi, T. 770
Evans, C.J., see Hwang, T.W. 614
Everitt, S.J. and Humphrey, V.F.
Transducer transmitting sensitivity measurements in restricted environments 118
Every, A.G., see Amulele, G.M. 252
Every, A.G., see Comins, J.D. 450
Every, A.G., see Lefeuvre, O. 459
Every, A.G., Vines, R.E. and Wolfe, J.P.
Observation of Scholte-like waves on the liquid-loaded surfaces of periodic structures 761
Eyraud, V., Nadal, M.-H. and Gondard, C.
Texture measurement of shaped material by impulse acoustic microscopy 438

Felix, N., see Tran-Huu-Hue, L.P. 219
Felix, N., see Tran-Huu-Hue, L.P. 322
Felix, N., Tran-Huu-Hue, L.P., Walker, L., Millar, C. and Lethiecq, M.
The application of high permittivity piezoelectric ceramics to 2D array transducers for medical imaging 127
Finkel, G.C., see Chaudhari, M.H. 105
Fischer, B., see Hirnschrodt, M. 200
Fischer, M., see Lheureux, D. 247
Flannery, C.M., see Kehoe, L. 508
Forsberg, F., Liu, J.B., Chiou, H.J., Rawool, N.M., Parker, L. and Goldberg, B.B.
Comparison of fundamental and wideband harmonic contrast imaging of liver tumors 110
Forsberg, F., see Chaudhari, M.H. 105
Forsberg, F., Shi, W.T. and Goldberg, B.B.
Subharmonic imaging of contrast agents 93
Fox, P.D. and Holm, S.
Decomposition of acoustic fields in quantised Bessel beams 190
Frinking, P.J.A., see de Jong, N. 87
Fritsch, C., Parrilla, M., Martínez, O. and Jiménez, D.
A multirate scan conversion method 179
Fujii, T., see Sato, M. 312
Fujimi, A., see Tsujino, J. 72

Gaete-Garretón, L.F., Vargas-Hermández, Y.P. and Velasquez-Lambert, C.
Application of ultrasound in comminution 345
Gall, H.L., see Tiercelin, N. 64
Gallego-Juárez, J.A., Rodríguez-Corral, G., de Sarabia, E.R.-F., Campos-Pozuelo, C., Vázquez-Martínez, F. and Acosta-Aparicio, V.M.
A macrosonic system for industrial processing 331
Gallego-Juárez, J.A., see de Sarabia, E.R.-F. 642
Gammelmark, K., see Misaridis, T.X. 183
García, M.J., see Salazar, J. 145
Gebhart, S.C., see Bohs, L.N. 369
Geiman, B.J., see Bohs, L.N. 369
Gengembre, N. and Lhémery, A.
Pencil method in elastodynamics: application to ultrasonic field computation 495
Gerard, A., see Laborde, J.-L. 297
Germano, M., see Alippi, A. 817
Gherardini, L., see Radel, S. 633
Girault, J.M., Kouamé, D., Ouahabi, A. and Patat, F.
Estimation of the blood Doppler frequency shift by a time-varying parametric approach 682
Goldberg, B.B., see Chaudhari, M.H. 105
Goldberg, B.B., see Forsberg, F. 110
Goldberg, B.B., see Forsberg, F. 93
Gomatam, J., see Gómez Alvarez-Arenas, T.E. 897
Gómez Alvarez-Arenas, T.E., Mulholland, A.J., Hayward, G., and Gomatam, J.
Wave propagation in 0-3/3-3 connectivity composites with complex microstructure 897
Gondard, C., see Eyraud, V. 438
Gondek, G., Katkowski, T. and Kwiek, P.
Diffraction of light by two ultrasonic beams of frequency ratio 1:2, beyond the Raman–Nath diffraction regime 845
Gondek, G., see Blomme, E. 575
González-Gómez, I., see de Sarabia, E.R.-F. 642
Goonewardene, S., see Chaudhari, M.H. 105
Gori, P., see Cincotti, G. 156
Gori, P., see Cincotti, G. 937
Govekar, E., Gradišek, J. and Grabec, I.
Analysis of acoustic emission signals and monitoring of machining processes 598
Grabec, I., see Govekar, E. 598
Grabec, I., see Kosel, T. 824
Gradišek, J., see Govekar, E. 598
Graullera, O., see Izquierdo, M.A.G. 500
Green, E.R. and Green, W.A.
A computational method for wave propagation from a point load in an anisotropic material 262
Green, E.R., see Green, W.A. 228
Green, W.A. and Green, E.R.
Elastic waves in fibre composite laminates 228
Green, W.A., see Green, E.R. 262
Grill, W., see Ndop, J. 166
Grill, W., see Pluta, M. 232
Grill, W., see Schmachtl, M. 809
Grondel, S., see Moulin, E. 522
Gröning, P., see Schwaller, P. 212
Gröschl, M., see Böhm, H. 629
Gsell, D., Profunser, D. and Dual, J.
Measurement of the dispersion relation of guided non-axisymmetric waves in filament-wound cylindrical structures 517
Gudra, T., Pluta, M. and Kojro, Z.
The measurement and numerical modelling of the diffraction field of a spherical ultrasonic transducer working in the air at the frequency of 1.3 MHz 794
Gudra, T., see Opielinski, K.J. 424
Gusev, V., Breteau, J.-M. and Picart, P.
On the rise time of ultrafast surface displacement of laser-irradiated surface 475
Gusev, V.E., see Hurley, D.H. 470

Hæggström, E., see Stor-Pellinen, J. 953
Haddad, J., see Levitsky, S. 857
Halkær, S., Sørensen, M.P. and Kristensen, W.D.
The propagation of ultrasound in an austenitic weld 256
Hallaj, I.M., Cleveland, R.O., Barbone, P.E., Kargl, S.G., and Roy, R.A.
Amplitude degradation of time-reversed pulses in nonlinear absorbing thermoviscous fluids 885
Harrigan, T., see Konofagou, E.E. 400
Hashimoto, Y., see Matsuo, E. 60
Hashimoto, Y., see Ueha, S. 26
Hauptmann, P., see Henning, B. 799
Hawkes, J.J., see Coakley, W.T. 638
Hawkes, J.J., see Cousins, C.M. 654
Hayashi, T. and Endoh, S.
Calculation and visualization of Lamb wave motion 770
Hayashi, T.
Research and development of micromechanisms 6

Hayward, G., see Gómez Alvarez-Arenas, T.E. 897
Hearne, G.R., see Comins, J.D. 450
Hemsel, T. and Wallaschek, J.
Survey of the present state of the art of piezoelectric linear motors 37
Henning, B., Daur, P.-C., Prange, S., Dierks, K. and Hauptmann, P.
In-line concentration measurement in complex liquids using ultrasonic sensors 799
Henning, B., Prange, S., Dierks, K. and Daur, P.-C.
Ultrasonic sensor properties characterized by a PC-controlled scanning measuring system 852
Hermanson, J.C., see Pedersen, P.C. 486
Hernández, M.G., Izquierdo, M.A.G., Ibáñez, A., Anaya, J.J. and Ullate, L.G.
Porosity estimation of concrete by ultrasonic NDE 531
Hernández, M.G., see Izquierdo, M.A.G. 500
Herrmann, R., see Schmachtl, M. 809
Herskowitz, M., Levitsky, S. and Shreiber, I.
Attenuation of ultrasound in porous media with dispersed microbubbles 767
Higuchi, T., see Morita, T. 33
Higuchi, T., see Takasaki,M. 51
Hilgenfeldt, S. and Lohse, D.
The acoustics of diagnostic microbubbles: dissipative effects and heat deposition 99
Hill, M. and Wood, R.J.K.
Modelling in the design of a flow-through ultrasonic separator 662
Hillebrands, B., see Büttner, O. 443
Hirnschrodt, M., Jena, A.V., Vontz, T., Fischer, B. and Lerch, R.
Ultrasonic characterization of liquids using resonance antireflection 200
Hirsekorn, S., see Rabe, U. 430
Hirsekorn, S., see Wegner, A. 316
Hita, A., see Laborde, J.-L. 297
Hoffmann, T.L.
Environmental implications of acoustic aerosol agglomeration 353
Holland, S., Kosel, T., Weaver, R. and Sachse, W.
Determination of plate source, detector separation from one signal 620
Holm, S., see Fox, P.D. 190
Holownia, P., see Cousins, C.M. 654
Holwill, I.L.J.
The use of ultrasonic standing waves to enhance optical particle sizing equipment 650
Hornowski, T., see Józefczak, A. 868
Hornowski, T., see Skumiel, A. 864
Hosten, B., see Castaings, M. 781
Hoyle, B.S., see Podd, F.J.W. 804
Hoyle, B.S., see Schlaberg, H.I. 813
Hsu, N.N., see Hwang, T.W. 614
Humphrey, V.F.
Nonlinear propagation in ultrasonic fields: measurements, modelling and harmonic imaging 267
Humphrey, V.F., see Divall, S.A. 273
Humphrey, V.F., see Everitt, S.J. 118
Hurley, D.H., Wright, O.B., Matsuda, O., Gusev, V.E. and Kolosov, O.V.
Laser picosecond acoustics in isotropic and anisotropic materials 470
Hwang, T.W., Whitenton, E.P., Hsu, N.N., Blessing, G.V. and Evans, C.J.
Acoustic emission monitoring of high speed grinding of silicon nitride 614
Ibáñez, A., see Hernández, M.G. 531
Ide, M., see Irie, T. 698
Ihara, S., see Tsujino, J. 77
Iino, A., Suzuki, K., Kasuga, M., Suzuki, M. and Yamanaka, T.
Development of a self-oscillating ultrasonic micro-motor and its application to a watch 54
Imamura, K., see Takahashi, N. 581
Irie, T., Ohdaira, E., Ide, M., Itoh, K. and Nagai, H.
Improved detection of echo signals from inside bone 698
Itié, J.P., see Lheureux, D. 247
Itoh, H., see Sato, M. 312
Itoh, K., see Irie, T. 698
Iula, A., Carotenuto, R., Lamberti, N. and Pappalardo, M.
A matrix model of the axle vibration of a piezoelectric motor 41
Izquierdo, M.A.G., Hernández, M.G., Graullera, O. and Anaya, J.J.
Signal-to-noise ratio enhancement based on the whitening transformation of colored structural noise 500
Izquierdo, M.A.G., see Hernández, M.G. 531
Izquierdo, M.A.G., see Martínez, O. 176

Jahny, J., see Pluta, M. 232
Janser, K., see Wegner, A. 316
Janssen, C.R.M., de Korte, C.L., van der Heiden, M.S., Wapenaar, C.P.A. and van der Steen, A.F.W.
Angle matching in intravascular elastography 417
Jekel, M., see Spengler, J. 624
Jemielniak, K.
Some aspects ofAE application in tool condition monitoring 604
Jena, A.V., see Hirnschrodt, M. 200
Jensen, J.A.
Algorithms for estimating blood velocities using ultrasound 358
Jensen, J.A., see Misaridis, T.X. 183
Jiménez, D., see Fritsch, C. 179
Jørgensen, C.H., see Misaridis, T.X. 183
Jossinet, J., see Lavandier, B. 929
Józefczak, A., see Skumiel, A. 864
Józefczak, A., Skumiel, A. and Hornowski, T.
The effect of the rate of magnetic field and temperature changes on the ultrasonic wave absorption coefficient in a magnetic fluid 868

Kaczmarek, M., Pakuła, M. and Kubik, J.
Multiphase nature and structure of biomaterials studied by ultrasounds 703
Kagawa, Y., Tsuchiya, T. and Sakai, T.
A single plate ultrasonic gyroscope in plane motion 827
Kakihara, K., see Nakamura, K. 122
Kakio, S., see Nakagawa, Y. 590
Kalinikos, B.A., see Büttner, O. 443
Kamada, H.-i., see Kanai, H. 405
Kan, Y.-C., see Chiang, C.-H. 534
Kanai, H. and Koiwa, Y.
Real-time velocimetry for evaluation of change in thickness of arterial wall 381
Kanai, H., Yonechi, S., Susukida, I., Koiwa, Y., Kamada, H.-I. and Tanaka, M.
Onset of pulsatile waves in the heart walls at end-systole 405
Kargl, S.G., see Hallaj, I.M. 885
Kashino, T., see Tsujino, J. 67
Kasuga, M., see Iino, A. 54
Katkowski, T., see Blomme, E. 575
Katkowski, T., see Gondek, G. 845
Kawakami, M., see Nakamura, K. 122
Kayombo, J.-H., see Albareda, A. 151

Kažys, R., Svilainis, L. and Mažeika, L.
Application of orthogonal ultrasonic signals and binaural processing for imaging of the environment 171
Keay, P., see Cousins, C.M. 654
Kehoe, L., Coyle, G., Murray, S., Flannery, C.M. and Crean, G.M.
Laser ultrasonic surface wave inspection of alumina ceramics of varying density 508
Kester, E., see Rabe, U. 430
Khelil, M., see Drai, R. 503
Kim, T.J., see Ndop, J. 166
Kim, TJ., see Schmachtl, M. 809
Klotzbücher, H., see Schläfer, O. 711
Kobayashi, K., Chiba, A. and Minami, N.
Effects of ultrasound on both electrolytic and electroless nickel depositions 676
Koike, Y., see Matsuo, E. 60
Koike, Y., see Ohtani, K. 647
Koike, Y., see Ueha, S. 26
Koiwa, Y., see Kanai, H. 381
Koiwa, Y., see Kanai, H. 405
Kojro, Z., see Gudra, T. 794
Koka, A., see Wegner, A. 316
Kokubo, A., see Yamamoto, K. 830
Kolosov, O.V., see Hurley, D.H. 470
Kolosov, O.V., see Lefeuvre, O. 459
Kondic, L., see Dan, M. 566
Konofagou, E.E., Harrigan, T. and Ophir, J.
Shear strain estimation and lesion mobility assessment in elastography 400
Konofagou, E.E., Varghese, T. and Ophir, J.
Spectral estimators in elastography 412
Kosel, T., Grabec, I. and Mužič, P.
Location of acoustic emission sources generated by air flow 824
Kosel, T., see Holland, S. 620
Kostylev, M.P., see Büttner, O. 443
Kouamé, D., see Girault, J.M. 682
Koyama, K., see Yanagida, H. 671
Kristensen, W.D., see Halkær, S. 256
Kubik, J., see Kaczmarek, M. 703
Kudo, S., see Wakatsuki, N. 46
Kuribayashi Kurosawa, M.
State-of-the-art surface acoustic wave linear motor and its future applications 15
Kuribayashi Kurosawa, M., see Takasaki, M., 51
Kurosawa, M.K., see Morita, T. 33
Kushibiki, J.-I., see Akashi, N. 915
Kwiek, P., see Blomme, E. 575
Kwiek, P., see Gondek, G. 845

Labat, V., Remenieras, J.P., Matar, O.B., Ouahabi, A. and Patat, F.
Harmonic propagation of finite amplitude sound beams: experimental determination of the nonlinearity parameter *B/A* 292
Labat, V., see Remenieras, J.P. 305
Laborde, J.-L., Hita, A., Caltagirone, J.-P. and Gerard, A.
Fluid dynamics phenomena induced by power ultrasounds 297
Lamberti, N., see Iula, A. 41
Latard, V., see Derbesse, L. 860
Lavandier, B., Jossinet, J., and Cathignol, D.
Experimental measurement of the acousto-electric interaction signal in saline solution 929
Lavie, A., see Dubus, B. 838
Lavrentyev, A.I. and Beals, J.T.
Ultrasonic measurement of the diffusion bond strength 513
Lecoeur-Taïbi, I., see Raillon, R. 527
Lefeuvre, O., Kolosov, O.V., Every, A.G., Briggs, G.A.D. and Tsukahara, Y.
Elastic measurements of layered nanocomposite materials by Brillouin spectroscopy 459
Legeais, J.M., see Lheureux, D. 391
Lerch, R., see Hirnschrodt, M. 200
Leroy, O., see Blomme, E. 575
Leroy, O., see Windels, F.W. 586
Lethiecq, M., see Felix, N. 127
Lethiecq, M., see Tran-Huu-Hue, L.P. 219
Lethiecq, M., see Tran-Huu-Hue, L.P. 322
Levassort, F., see Tran-Huu-Hue, L.P. 219
Levassort, F., see Tran-Huu-Hue, L.P. 322
Levin, V., see Berezina, S. 327
Levitsky, S., Bergman, R. and Haddad, J.
Acoustic waves in thin-walled elastic tube with polymeric solution 857
Levitsky, S., see Herskowitz, M. 767
Lewin, P.A., Lypacewicz, G., Bautista, R. and Devaraju, V.
Sensitivity of ultrasonic hydrophone probes below 1 MHz 135
Lezhnev, N.B., see Linde, B.B.J. 945
Lhémery, A., see Gengembre, N. 495
Lheureux, D., Decremps, F., Fischer, M., Polian, A., Itié, J.P., Syfosse, G. and Zarembowitch, A.
Ultrasonics and X-ray diffraction under pressure in the Paris–Edinburgh cell 247
Lheureux, D., Saïed, A., Werner, L., Marc Legeais, J. and Berger, G.
High-frequency ultrasound characterization of microporous biointegrable polymers in cornea using acoustic parameters 391
Li, W., see van der Steen, A.F.W. 363
Lindberg, N., see Misaridis, T.X. 183
Linde, B.B.J., and Lezhnev, N.B.
Extended frequency range measurements for determining the Kneser-type acoustic relaxation time 945
Litniewski, J., Nowicki, A. and Sawicki, A.
Detection of bone disease with ultrasound – comparison with bone densitometry 693
Liu, J.B., see Forsberg, F. 110
Lobkis, O.I. and Chimenti, D.E.
3-D voltage model for detection of sound radiated from anisotropic materials 237
Lobkis, O.I., see Weaver, R.L. 491
Lohse, D., see Hilgenfeldt, S. 99
López-Amo, M., see Curpián Alonso, J. 542
Lowe, K.C., see Böhm, H. 629
Lupotti, F., see van der Steen, A.F.W. 363
Luukkala, M., see Stor-Pellinen, J. 953
Lypacewicz, G., see Lewin, P.A. 135

Machado, J.C., see Reissel Pereira, F. 708
Mažeika, L., see Kažys, R. 171
Mäntysalo, F., see Mäntysalo, M. 723
Mäntysalo, M. and Mäntysalo, E.
Extraction and filtering in ultrasonic field: finite element modelling and simulation of the processes 723
Martinez, O., see Fritsch, C. 179
Martinez, O., Ullate, L.G., Izquierdo, M.A.G. and Sanchez, T.
Incidence of element distribution on the ultrasonic field of segmented annular arrays 176
Mastik, F., see van der Steen, A.F.W. 363
Masubuchi, Y., see Yanagida, H. 671
Masuzawa, N. and Ohdaira, E.
Information contained in the radiated ultrasound during ultrasonic welding 609

Masuzawa, N., see Ohdaira, E. 546
Matar, O.B., Pizarro, L., Certon, D., Remenieras, J.P. and Patat, F.
Characterization of airborne transducers by optical tomography 787
Matar, O.B., see Labat, V. 292
Matar, O.B., see Remenieras, J.P. 305
Matsuda, O., see Hurley, D.H. 470
Matsukawa, M., Yamura, H., Nakayama, S. and Otani, T.
Brillouin scattering study of epoxy adhesive layers during cure 466
Matsuo, E., Koike, Y., Nakamura, K., Ueha, S. and Hashimoto, Y.
Holding characteristics of planar objects suspended by near-field acoustic levitation 60
Mattei, C. and Adler, L.
Leaky wave detection at air–solid interfaces by laser interferometry 570
Matula, T.J.
Single-bubble sonoluminescence in microgravity 559
Mayr, M., see Rothenfusser, M. 322
Maze, G., see Derbesse, L. 860
McLoughlin, A.J., see Radel, S. 633
Merlen, A., see Derbesse, L. 860
Millar, C., see Felix, N. 127
Minagawa, K., see Yanagida, H. 671
Minami, N., see Kobayashi, K. 676
Minguella, E., see Albareda, A. 151
Misaridis, T.X., Gammelmark, K., Jørgensen, C.H., Lindberg, N., Thomsen, A.H., Pedersen, M.H. and Jensen, J.A.
Potential of coded excitation in medical ultrasound imaging 183
Mizrach, A.
Determination of avocado and mango fruit properties by ultrasonic technique 717
Moholkar, V.S., Rekveld, S. and Warmoeskerken, M.M.C.G.
Modeling of the acoustic pressure fields and the distribution of the cavitation phenomena in a dual frequency sonic processor 666
Montero de Espinosa, F., see Curpián Alonso, J. 542
Morita, T., Kurosawa, M.K. and Higuchi, T.
A cylindrical micro-ultrasonic motor (stator transducer size: 1.4 mm in diameter and 5.0 mm long) 33
Mortimer, B.J.P., see Davies, J.R. 284
Moulin, E., Assaad, J., Delebarre, C., Grondel, S. and Balageas, D.
Modeling of integrated Lamb waves generation systems using a coupled finite element–normal modes expansion method 522
Mozhaev, V.G., see Parygin, V.N. 594
Mužič, P., see Kosel, T. 824
Mulet, A., see Benedito, J. 727
Mulholland, A.J., see Gómez Alvarez-Arenas, T.E. 897
Müller, E., see Schwaller, P. 212
Müller, W., see Schmitz, V. 731
Murray, S., see Kehoe, L. 508

Nadal, M.-H, see Eyraud, V. 438
Nagai, H., see Irie, T. 698
Nakagawa, Y., Yawata, M. and Kakio, S.
Enhancement of photoelastic constant of optical thin film waveguide assisted by surface acoustic wave 590
Nakamura, K., Kakihara, K., Kawakami, M. and Ueha, S.
Measuring vibration characteristics at large amplitude region of materials for high power ultrasonic vibration system 122
Nakamura, K., see Matsuo, E. 60
Nakayama, S., see Matsukawa, M. 466
Ndop, J., Kim, T.J., Grill, W. and Pluta, M.
Synthetic aperture imaging by scanning acoustic microscopy with vector contrast 166
Needleman, L., see Chaudhari, M.H. 105
Netzelmann, U., see Wegner, A. 316
Niederer, K., see Eccardt, P.C. 774
Nielsen, S.A. and Toftegaard, H.
Ultrasonic measurement of elastic constants in fiber-reinforced polymer composites under influence of absorbed moisture 242
Nitta, S.-i., see Saijo, Y. 396
Nowicki, A., see Litniewski, J. 693

Ogata, T., see Yanagida, H. 671
Ohdaira, E. and Masuzawa, N.
Water content and its effect on ultrasound propagation in concrete — the possibility of NDE 546
Ohdaira, E., see Irie, T. 698
Ohdaira, E., see Masuzawa, N. 609
Ohtani, K., Koike, Y., Ueha, S. and Yokoi, H.
Novel wedge-shaped doubly inclined chamber for the flow-through separation of suspended particles 647
Onyeche, T.I., see Schläfer, O. 711
Ophir, J., see Konofagou, E.E. 400
Ophir, J., see Konofagou, E.E. 412
Opielinski, K.J. and Gudra, T.
Ultrasound transmission tomography image distortions caused by the refraction effect 424
Ortega, J.A., see Salazar, J. 145
Osetrov, A.V.
Non-linear algorithms based on SAFT ideas for reconstruction of flaws 739
Otani, T., see Matsukawa, M. 466
Otoda, K., see Tsujino, J. 72
Ouahabi, A., see Girault, J.M. 682
Ouahabi, A., see Labat, V. 292

Pakulła, M., see Kaczmarek, M. 703
Pappalardo, M., see Cincotti, G. 156
Pappalardo, M., see Cincotti, G. 937
Pappalardo, M., see Iula, A. 41
Paradis, L., see Croce, R. 537
Parker, L., see Forsberg, F. 110
Parrilla, M., see Fritsch, C. 179
Parygin, V.N., Vershoubskiy, A.V., Mozhaev, V.G. and Weihnacht, M.
Prolonged acousto-optic interaction with Lamb waves in crystalline plates 594
Pasterkamp, G., see de Korte, C.L. 387
Patat, F., see Girault, J.M. 682
Patat, F., see Labat, V. 292
Patat, F., see Matar, O.B. 787
Patat, F., see Remenieras, J.P. 305
Pecorari, C.
Attenuation and dispersion of Rayleigh waves propagating on a cracked surface: an effective field approach 754
Pedersen, M.H., see Misaridis, T.X. 183
Pedersen, P.C., Cakareski, Z. and Hermanson, J.C.
Ultrasonic monitoring of film condensation for applications in reduced gravity 486
Pereira, W.C.A., see Reiszel Pereira, F. 708
Pérez, R., see Albareda, A. 151
Pernod, P., see Brysev, A. 64
Pernod, P., see Derbesse, L. 834
Pernod, P., see Tiercelin, N. 860

Picart, P., see Gusev, V. 475
Pizarro, L., see Matar, O.B. 787
Pluta, M., Schubert, M., Jahny, J. and Grill, W.
Angular spectrum approach for the computation of group and phase velocity surfaces of acoustic waves in anisotropic materials 232
Pluta, M., see Gudra, T. 794
Pluta, M., see Ndop, J. 166
Podd, F.J.W., Schlaberg, H.I. and Hoyle, B.S.
Model-based parameterisation of a hydrocyclone air-core 804
Podd, F.J.W., see Schlaberg, H.I. 813
Polian, A., see Lheureux, D. 247
Power, J.B., see Böhm, H. 629
Prange, S., see Henning, B. 799
Prange, S., see Henning, B. 852
Preobrazhensky, V., see Brysev, A. 834
Preobrazhensky, V., see Tiercelin, N. 64
Price, C.P., see Cousins, C.M. 654
Profunser, D., see Gsell, D. 517
Prokhorov, V., see Berezina, S. 327
Pustovoit, V.I., see Windels, F.W. 586

Rabe, U., Amelio, S., Kester, E., Scherer, V., Hirsekorn, S. and Arnold, W.
Quantitative determination of contact stiffness using atomic force acoustic microscopy 430
Radel, S., McLoughlin, A.J., Gherardini, L., Doblhoff-Dier, O. and Benes, E.
Viability of yeast cells in well controlled propagating and standing ultrasonic plane waves 633
Raillon, R. and Lecoeur-Taïbi, I.
Transient elastodynamic model for beam defect interaction: application to non-destructive testing 527
Ramos, A., Emeterio, J.L.S. and Sanz, P.T.
Dependence of pulser driving responses on electrical and motional characteristics of NDE ultrasonic probes 553
Ramos, A., see Emeterio, J.L.S. 140
Rawool, N.M., see Forsberg, F. 110
Reibold, R., see Boutkedjirt, T. 745
Reinhardt, M., see Uhlendorf, V. 81
Reiszel Pereira, F., Pereira, W.C.A. and Carlos Machado, J.
Ultrasonic wave speed measurement using the time-delay profile of rf-backscattered signals 708
Rekveld, S., see Moholkar, V.S. 666
Remenieras, J.P., Matar, O.B., Labat, V. and Patat, F.
Time-domain modeling of nonlinear distortion of pulsed finite amplitude sound beams 305
Remenieras, J.P., see Labat, V. 292
Remenieras, J.P., see Matar, O.B. 787
Rodríguez-Corral, G., see de Sarabia, E.R.-F. 642
Rodríguez-Corral, G., see Gallego-Juárez, J.A. 331
Rothenfusser, M., Mayr, M. and Baumann, J.
Acoustic nonlinearities in adhesive joints 322
Roubier, N., see De Vadder, D. 215
Roy, O., see Chatillon, S. 131
Roy, R.A., see Hallaj, I.M. 885
Royer, D., and Chenu, C.
Experimental and theoretical waveforms of Rayleigh waves generated by a thermoelastic laser line source 891
Rueff, A., see Büttner, O. 443

Sachse, W., see Holland, S. 620
Saïed, A., see Lheureux, D. 391
Saijo, Y., Sasaki, H., Sato, M., Nitta, S.-i. and Tanaka, M.
Visualization of human umbilical vein endothelial cells by acoustic microscopy 396
Saikali, F.N., see Chaudhari, M.H. 105
Sakai, K., see Yamamoto, K. 830
Sakai, T., see Kagawa, Y. 827
Salazar, J., Turó, A., Chávez, J.A., Ortega, J.A. and García, M.J.
Transducer resolution enhancement by combining different excitation pulses 145
Sánchez, T., see Martínez, O. 176
Sanjuan, N., see Benedito, J. 727
Sano, T., see Tsujino, J. 77
Sanz, P.T., see Emeterio, J.L.S. 140
Sanz, P.T., see Ramos, A. 553
Sasaki, H., see Saijo, Y. 396
Sato, M., Itoh, H. and Fujii, T.
Frequency dependence of H_2O_2 generation from distilled water 312
Sato, M., see Saijo, Y. 396
Sawicki, A., see Litniewski, J. 693
Scharf, O., see Schmachtl, M. 809
Scherer, V., see Rabe, U. 430
Schertlen, R., see Schmachtl, M. 809
Schlaberg, H.I., Podd, F.J.W. and Hoyle, B.S.
Ultrasound process tomography system for hydrocyclones 813
Schlaberg, H.I., see Podd, F.J.W. 804
Schläfer, O., Sievers, M., Klotzbücher, H. and Onyeche, T.I.
Improvement of biological activity by low energy ultrasound assisted bioreactors 711
Schlapbach, L., see Schwaller, P. 212
Schmachtl, M., Kim, T.J., Grill, W., Herrmann, R., Scharf, O., Schwieger, W., Schertlen, R. and Stenzel, C.
Ultrasonic monitoring of zeolite synthesis in real time 809
Schmitz, V., Chakhlov, S. and Müller, W.
Experiences with synthetic aperture focusing technique in the field 731
Schneuwly, A., see Schwaller, P. 212
Scholle, F.-D., see Uhlendorf, V. 81
Schubert, M., see Pluta, M. 232
Schwaller, P., Gröning, P., Schneuwly, A., Boschung, P., Müller, E., Blanc, M. and Schlapbach, L.
Surface and friction characterization by thermoelectric measurements during ultrasonic friction processes 212
Schwieger, W., see Schmachtl, M. 809
Sellidj, F., see Drai, R. 503
Serre, M., see Chatillon, S. 131
Serruys, P.W., see van der Steen, A.F.W. 363
Sferruzza, J.P., Birer, A., and Cathignol, D.
Generation of very high pressure pulses at the surface of a sandwiched piezoelectric material 965
Shah, V.V., and Balasubramaniam, K.
Measuring Newtonian viscosity from the phase of reflected ultrasonic shear wave 921
Shi, W.T., see Forsberg, F. 93
Shreiber, I., see Herskowitz, M. 767
Sievers, M., see Schläfer, O. 711
Skumiel, A., Hornowski, T. and Józefczak, A.
Investigation of magnetic fluids by ultrasonic and magnetic methods 864
Skumiel, A., see Józefczak, A. 868
Slavin, A.N., see Büttner, O. 443
Sliwinski, A., see Blomme, E. 575
Smythe, M.C. and Wakeman, R.J.
The use of acoustic fields as a filtration and dewatering aid 657
Snitka, V.
Ultrasonic actuators for nanometre positioning 20
Sobanski, M.A., see Coakley, W.T. 638

Soetanto, K., and Chan, M.
Study on the lifetime and attenuation properties of microbubbles coated with carboxylic acid salts 969
Sørensen, M.P., see Halkær, S. 256
Sotiropoulos, D.A.
Guided elastic waves in a pre-stressed compressible interlayer 821
Spengler, J. and Jekel, M.
Ultrasound conditioning of suspensions – studies of streaming influence on particle aggregation on a lab- and pilot-plant scale 624
Spengler, J., see Coakley, W.T. 638
Stenzel, C., see Schmachtl, M. 809
Stepinski, T., see Wu, P. 481
Stoddart, P.R., see Comins, J.D. 450
Stor-Pellinen, J., Hæggström, E., and Luukkala, M.
Measurement of the effect of high-power ultrasound on wetting of paper 953
Sugahara, F., see Tsujino, J. 67
Susukida, I., see Kanai, H. 405
Suzuki, K., see Iino, A. 54
Suzuki, M., see Iino, A. 54
Svilainis, L., see Kažys, R. 171
Syfosse, G., see Lheureux, D. 247

Takagi, K., see Yamamoto, K. 830
Takahashi, N., Yoshimura, K., Takahashi, S. and Imamura, K.
Development of an optical fiber hydrophone with fiber Bragg grating 581
Takahashi, S., see Takahashi, N. 581
Takasaki, M., Kuribayashi Kurosawa, M. and Higuchi, T.
Optimum contact conditions for miniaturized surface acoustic wave linear motor 51
Takimoto, J.-i., see Yanagida, H. 671
Tanaka, M., see Kanai, H. 405
Tanaka, M., see Saijo, Y. 396
Tang, X. and Abeyratne, U.R.
Wavelet transforms in estimating scatterer spacing from ultrasound echoes 688
Tapson, J., see Davies, J.R. 284
Temsamani, A.B., see Vandenplas, S. 195
Ten Cate, F.J., see de Jong, N. 87
Thomsen, A.H., see Misaridis, T.X. 183
Tiercelin, N., Pernod, P., Preobrazhensky, V., Gall, H.L. and Youssef, J.B.
Non-linear actuation of cantilevers using giant magnetostrictive thin films 64
Tjøtta, S.
On some nonlinear effects in ultrasonic fields 278
Toftegaard, H., see Nielsen, S.A. 242
Torp, H., see Bjærum, S. 376
Torp, H., see Tsujino, J. 67
Touraine, N., see Derbesse, L. 860
Trahey, G.E., see Bohs, L.N. 369
Tran-Huu-Hue, L.P., Levassort, F., Felix, N., Damjanovic, D., Wolny, W. and Lethiecq, M.
Comparison of several methods to characterise the high frequency behaviour of piezoelectric ceramics for transducer applications 219
Tran-Huu-Hue, L.P., Levassort, F., Felix, N., Damjanovic, D., Wolny, W. and Lethiecq, M.
Comparison of several methods to characterise the high frequency behaviour of piezoelectric ceramics for transducer applications 322
Tran-Huu-Hue, L.P., see Felix, N. 127

Trucco, A.
Aperture and element minimization in linear sparse arrays with desired beam patterns 161
Tsai, C.-L., see Chiang, C.-H. 534
Tsuchiya, T., see Kagawa, Y. 827
Tsujino, J., Ueoka, T., Kashino, T. and Sugahara, F.
Transverse and torsional complex vibration systems for ultrasonic seam welding of metal plates 67
Tsujino, J., Ueoka, T., Otoda, K. and Fujimi, A.
One-dimensional longitudinal–torsional vibration converter with multiple diagonally slitted parts 72
Tsujino, J., Yoshihara, H., Sano, T. and Ihara, S.
High-frequency ultrasonic wire bonding systems 77
Tsukahara, Y., see Lefeuvre, O. 459
Turó, A., see Salazar, J. 145

Ueha, S., Hashimoto, Y. and Koike, Y.
Non-contact transportation using near-field acoustic levitation 26
Ueha, S., see Matsuo, E. 60
Ueha, S., see Nakamura, K. 122
Ueha, S., see Ohtani, K. 647
Ueoka, T., see Tsujino, J. 67
Ueoka, T., see Tsujino, J. 72
Uhlendorf, V., Scholle, F.-D. and Reinhardt, M.
Acoustic behaviour of current ultrasound contrast agents 81
Ullate, L.G., see Hernández, M.G. 531
Ullate, L.G., see Martínez, O. 176

Van Biesen, L., see Bey Temsamani, A. 749
van der Heiden, M.S., see Janssen, C.R.M. 417
van der Steen, A.F.W., Céspedes, E.I., Carlier, S.G., Mastik, F., Lupotti, F., Borsboom, J.M.G., Li, W., Serruys, P.W. and Bom, N.
Flow estimation using an intravascular imaging catheter 363
van der Steen, A.F.W., see de Korte, C.L. 387
van der Steen, A.F.W., see Janssen, C.R.M. 417
Vandenplas, S., see Bey Temsamani, A. 749
Vandenplas, S., Temsamani, A.B., Cisneros, Z. and Biesen, L.V.
A frequency domain inversion method applied to propagation models in unconsolidated granular materials 195
Vargas-Hermández, Y.P., see Gaete-Garretón, L.F. 345
Varghese, T., see Konofagou, E.E. 412
Vázquez-Martinez, F., see Gallego-Juárez, J.A. 331
Veksler, N.D., see Dubus, B. 838
Velasquez-Lambert, C., see Gaete-Garretón, L.F. 345
Vershoubskiy, A.V., see Parygin, V.N. 594
Vines, R.E., see Every, A.G. 761
Vontz, T., see Hirnschrodt, M. 200
Voodaria, A., see Chaudhari, M.H. 105

Wade, G.
Human uses of ultrasound: ancient and modern 1
Wakatsuki, N., Kudo, S. and Chiba, M.
Temperature self-compensated lithium tantalate piezoelectric gyroscope for higher sensitivity and stability 46
Wakeman, R.J., see Smythe, M.C. 657
Walker, L., see Felix, N. 127
Wallaschek, J., see Hemsel, T. 37
Wang, Y., see Zhang, G. 961
Wang, Z., see Zhang, Y. 114
Wapenaar, C.P.A., see Janssen, C.R.M. 417
Warmoeskerken, M.M.C.G., see Moholkar, V.S. 666
Weaver, R., see Holland, S. 620

Weaver, R.L. and Lobkis, O.I.
Temperature dependence of diffuse field phase 491
Wegner, A., Koka, A., Janser, K., Netzelmann, U., Hirsekorn, S. and Arnold, W.
Assessment of the adhesion quality of fusion-welded silicon wafers with nonlinear ultrasound 316
Weihnacht, M., see Parygin, V.N. 594
Werner, L., see Lheureux, D. 391
Whitenton, E.P., see Hwang, T.W. 614
Windels, F.W., Pustovoit, V.I. and Leroy, O.
Collinear acousto-optic diffraction using two nearby sound frequencies 586
Wolfe, J.P., see Every, A.G. 761
Wolny, W., see Tran-Huu-Hue, L.P. 219
Wolny, W., see Tran-Huu-Hue, L.P. 322
Wood, R.J.K., see Hill, M. 662
Woutman, H.A., see de Korte, C.L. 387
Wright, O.B., see Hurley, D.H. 470
Wu, J., see Chen, W. 909
Wu, P. and Stepinski, T.
Quantitative estimation of ultrasonic attenuation in a solid in the immersion case with correction of diffraction effects 481

Yamamoto, K., Kokubo, A., Sakai, K. and Takagi, K.
Nonlinear piezoelectricity in PZT ceramics for generating ultrasonic phase conjugate waves 830
Yamanaka, T., see Iino, A. 54
Yamura, H., see Matsukawa, M. 466
Yanagida, H., Masubuchi, Y., Minagawa, K., Takimoto, J.-I., Ogata, T. and Koyama, K.
Dependence of sonochemical luminescence on various sound fields 671
Yawata, M., see Nakagawa, Y. 590
Yokoi, H., see Ohtani, K. 647
Yonechi, S., see Kanai, H. 405
Yoshihara, H., see Tsujino, J. 77
Yoshimura, K., see Takahashi, N. 581
Youssef, J.B., see Tiercelin, N. 64

Zarembowitch, A., see Lheureux, D. 247
Zhang, G., Zhang, S., and Wang, Y.
Application of adaptive time-frequency decomposition in ultrasonic NDE of highly-scattering materials 961
Zhang, S., see Zhang, G. 961
Zhang, X., see Comins, J.D. 450
Zhang, Y., Wang, Z. and Cheeke, J.D.N.
Simulation of electromechanical coupling coefficient by modified modal frequency spectrum method including the electrode effect 114
Zhou, G.
The performance and design of ultrasonic vibration system for flexural mode 979

ELSEVIER

Ultrasonics 38 (2000) 997–1000

Ultrasonics

www.elsevier.nl/locate/ultras

Subject Index to Volume 38

A.C. impedance, 676
Absorption and velocity, 945
Acoustic agglomeration, 353
Acoustic emission, 228, 604, 620, 824
Acoustic emission (AE), 598
Acoustic emission monitoring, 614
Acoustic imaging, 161
Acoustic impedance, 609
Acoustic inspection, 534
Acoustic levitation, 26, 60
Acoustic microscopy, 327, 396
Acoustic particle agglomeration, 642
Acoustic preconditioning, 353
Acoustic property, 915
Acoustic radiation pressure, 647
Acoustic scattering, 838, 860
Acoustic streaming, 278, 638
Acoustic waves, 232, 857
Acoustical properties of liquids, 301
Acoustically induced birefringence, 575
Acoustics, 99, 316, 430, 470, 666
Acousto-optic interaction, 594
Acousto-optical tunable filters, 586
Acousto-optics, 575, 581, 586, 845
Activated biomass, 711
Adhesion, 316
Aerosols, 353, 650
Aggregation, 624
Aging, 242
Air pollution control, 353
Air-borne ultrasonic transducer, 794
Air–solid interfaces, 570
Alkanols, 301
Angle-independent flow, 369
Angular spectrum, 232, 537
Anisotropic, 470
Anisotropic materials, 232, 237, 242, 262
Anisotropy, 252, 495, 864
Annular arrays, 190
Antigen detection, 638
Antireflection, 200
Apodization, 156, 586, 937
Aqueous dextran solution, 915
Aqueous solution, 929
AR, 682
Array, 481
Array synthesis, 161
Artificial cornea, 391
Atherosclerosis, 381
Atomic force microscopy, 430
Attenuation, 224, 396, 698, 703, 754, 857
Attenuation coefficient, 391
Attenuation estimation, 481
Attenuation properties, 969
Austenitic weld, 256
Axial resolution enhancement, 145

BIA, 284
Backscattering, 693
Backward propagation, 817
Backward wave modes, 594
Bar speed, 206
Beams, 430
Beamforming, 156, 161, 937
Bed, 767
Bessel beams, 190
Biot's theory, 767
Bioultrasonic spectroscopy system, 915
Bjerknes force, 671
Blood flow, 67, 363
Blood separation, 638, 654
Blunting, 215
Bond strength, 513, 534
Bones, 693, 698
Boundary element method, 337, 770, 838
Bragg diffraction, 590
Brillouin scattering, 450, 466
Brillouin spectroscopy, 459
Broadband methods, 242
Bubble, 566
Bubble dynamics, 666
Bulk wave resonator, 114

CAD, 731
Calibration, 118
Cardiac cycle, 405
Cavitation, 297, 559, 566, 666
Cavities, 842
Cavity resonator, 284
Cell viability, 633
Cells, 391
Centroid, 412
Ceramics, 219, 322, 508
Cheddar, 727
Cheese, 727
Circular vibration locus, 72
Cluster, 868
Clusters, 864
Clutter filters, 67
CMOS compatible, 774
Coded excitation, 183
Collagen, 391
Collinear acousto-optic spectrometers, 586
Collinear spectrometers, 586
Color flow imaging, 105
Comminution, 345
Comparison, 256
Complex geometry components, 131
Complex ion, 676
Complex vibration, 72
Complex vibration locus, 77
Complex vibration ultrasonic welding, 67, 72
Composite, 821
Composite laminates, 228
Composite transducers, 135
Composites, 151
Computational fluid dynamics (CFD), 650
Concentration measurement, 799
Concrete, 531, 534, 546
Condensation, 486
Constant-velocity motional-feedback power oscillat, 609
Contact stiffness, 430
Continuous welding of aluminum plates, 67
Contrast agents, 81, 87
Control systems, 20
Correction, 400
Coulter multisizer, 969
Crack distribution, 754
Crack tip diffraction, 215
Cross-correlation, 412
Cross-correlation function, 503, 824
Crystal orientation, 676
Cultured plant cells, 629
Curing process, 466
Cylindrical structures, 517
Cylindrical transducer, 33
Cytoplasm, 396

Deconvolution, 171, 745
Decorrelation, 363
Delaminations, 537
Delay law optimization, 131
De-noising, 961
Density, 200
Detection methods, 87
Diagnosis, 87
Diagnostic imaging, 81
Diagnostics, 99
Diffraction field, 794
Diffraction, 481
Diffuse fields, 491
Diffusion bond, 513
Digital ultrasound, 179
Dispersion relation, 517

0041-624X/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0041-624X(00)00050-0

Dispersion, 754, 857
Dissipation, 99
Doppler, 67
Doppler frequency shift, 682
Driving pulse, 156
Driving response, 553
Ductile tearing, 215
Dyadic wavelet transform, 688
Dynamic penetrometer, 953

Echography, 179
Elastic, 821
Elastic characterization, 459
Elastic constants, 242, 247
Elastic properties, 327
Elastic tube, 857
Elasticity, 381, 400
Elastodynamics, 842
Elastogram, 400, 412
Elastography, 387, 400, 412
Electrical conductivity, 929
Electrical excitation, 145
Electricity, 657
Electroacoustic simulation, 127
Electroacoustic, 657
Electroless deposition, 676
Electrolyte, 929
Electrostatic airborne transducers, 787
Electrostatic precipitator, 353
Endothelium, 396
Endotoxin, 396
Epoxy adhesive layer, 466
Equation of state, 247
Equivalent circuit, 33
Equivalent circuit modelling, 662
Evanescent modes, 817
Exchanging current density, 676
Experiment, 256
Extraction, 723

Face-down bonding, 77
Feature, 6
Features selection, 598
Ferrofluids, 864
FFT, 546
Fiber, 542
Fiber Bragg grating, 581
Fiber-reinforced composite, 242
Field calculation, 495
Field decomposition, 190
Filament wound, 517
Filtering, 723
Filtration, 642, 657
Fine particulate matter PM2.5, 353
Finite amplitude propagation, 305
Finite difference modelling, 273
Finite element, 522
Finite element method, 337, 838
Finite element modelling, 827
Finite-difference time-domain method, 885
Flexible phased array transducer, 131
Flexural rotating traveling wave, 41
Flexural vibration, 979
Flexural vibrations, 430
Flow quantification, 369
Flow velocity, 369
Flue gas cleaning, 353, 642
Fluid dynamics, 297
FM, 542
Fourier–Bessel series, 190
Frequency dependence, 915
Frequency shift, 693
Friction, 212
Friction drive, 15
Fruits, 717
Fullerene, 327

Gain increment, 834
Gas barrier, 459
Gas leakage, 824
Gaussian beam expansion, 292
General regression neural network, 824
Germanium, 247
Glass, 459
Glass transition, 466
Grain noise reduction, 500
Grinding, 345
Gyroscope, 827

Hardness, 224
Harmonic imaging, 93, 110
Harmonic propagation, 292
Harmonics, 267
Hepatomas, 110
Heterogeneity, 495
High frequency, 219, 322
High intensity ultrasound, 278
High permittivity, 127
High power ultrasonics, 26, 337
High pressure, 247, 327, 450
High speed grinding, 614
High temperature, 450
High-compression ultrasonic mill, 345
High-frequency bonding system, 77
High-frequency ultrasound, 391
High-power ultrasonics, 331
High-power ultrasound, 953
High-speed Schlieren visualization, 860
Hilbert transform, 503
Histology, 391
Holography, 1
H-type resonator, 46
Human blood, 654
HV spikes, 553
Hydrophone aperture, 745
Hydrothermal method, 33
Hypersonic attenuation, 475

Identification, 20
Image processing, 105
Image reconstruction, 424
Imaging, 267, 400, 412
Immunoassay, 638
Improved wine fermentation, 711
Impulse acoustic microscopy, 438
Industrial ultrasonics, 26
Inhomogeneous waves, 278
Integrated backscatter, 391
Intelligent locator, 824
Interface, 513
Interfaces, 821
Interferometry thin film, 470
Interpolation, 179, 400
Intravascular elastography, 417
Intravascular ultrasound, 363
Intrinsic losses, 140
Inverse problems, 739
Inverse procedure, 749
Inversion, 195
In-vivo measurements, 693
Isotropic, 470
Isovolumetric relaxation period, 405

Keratoprosthesis, 391
Kneser liquids, 945
Kramers–Kroning relations, 305

Lamb waves, 237, 522, 594, 770
Large amplitude vibration, 122
Laser interferometry, 570
Laser ultrasonics, 508, 891
Laser, 470
Leaky wave detection, 570
Leaky waves, 749
Lifetime, 969
Light scattering, 650
Limited-diffraction beams, 1
Line sources, 228
Linear motor, 15, 37, 51
Liquids, 200
$LiTaO_3$, 46
Lithotripsy, 965
Liver imaging, 110
Local change in thickness, 381
Longitudinal resonance frequencies, 206
Longitudinal waves, 909
Longitudinal–torsional vibration converter, 67, 72
Longitudinal–transverse vibration system, 77
Losses, 151
Low temperature, 215

Macrosonic systems, 331
Macrosonics, 353
Magnetic fluid, 868
Magnetic susceptibility, 864
Magnetostrictive bimorph, 64
Magnetostrictive ferrite, 834
Material characterisation, 219, 322
Materials characterization, 438, 897
Mathematical modelling, 297
Matrix-pencil, 517
Maturity and temperature, 727
Medical imaging, 937
Medical ultrasound, 183, 267
Medical, 87, 358
Micro actuator, 54
Micro-actuator, 33, 51
Microbubbles, 81, 99, 767, 969
Microgravity, 559
Micromechanism, 6
MIIR, 860
Miniaturization, 51
Mobility, 400
Modeling, 41, 195, 527, 537, 598
Modulus maxima, 688
Moisture, 242

Motional load, 553
Multi-element transducer, 522
Multilayers, 64, 537
Multiple scattering, 842
Multiplexing, 542
Myocardial viability, 405

Nanocomposite material, 459
Nanopositioning, 20
NDE transmitter, 553
NDE, 781
NDT probes, 553
NDT, 500, 503, 531, 542, 731
Near-field techniques, 1
Nickel electrodeposition, 676
Nitroglycerine, 381
Non-contact suspension, 60
Non-contact transportation, 60
Nondestructive evaluation, 891
Nondestructive testing, 717
Non-destructive evaluation, 909
Non-destructive testing, 508
Non-focal transmission microscopy, 166
Nonlinear acoustics, 305, 337
Nonlinear analysis, 598
Non-linear effect, 312
Nonlinear parameter, 301
Nonlinear piezoelectricity, 830
Nonlinear propagation, 267, 885
Non-linear propagation, 273
Non-linear scattering, 81
Nonlinear spin-waves, 443
Nonlinear ultrasound, 316
Nonlinearity parameter *B/A*, 292
Non-linearity parameter, 284
Non-linearity, 64, 151
Normal modes, 522
Normalized electrical impedance, 140
Numerical modeling, 337, 838
Numerical simulation, 256

One–three piezocomposite, 127
Optical fiber sensor, 581
Optical heterodyne interferometer, 787
Osteoporosis, 693
Output power, 834

Packaging of electronic devices, 77
Packaging, 459
Paper wetting, 953
Parallel sound beams, 845
Parameter-based reconstruction, 804
Parametric method, 682
Paris–Edinburgh cell, 247
Particle, 624
Particle manipulation, 650
Pencil method, 495
Peripheral waves, 838
Petunia hybrida, 629
Phantoms, 708
Phase, 491
Phase conjugate wave, 830
Phase conjugation, 834
Phase difference, 921
Phase locking, 284
Phase velocity, 703
Phased tracking method, 381, 405
Photoelastic constant, 590
Picosecond laser ultrasonics, 475
Picosecond, 470
Piezo actuator, 15
Piezoceramics, 151
Piezoelectric ceramic, 127
Piezoelectric characterization, 140
Piezoelectric film, 114
Piezoelectric gyroscope, 46
Piezoelectric motor, 41
Piezoelectric plate, 827
Piezoelectric PVDF polymer ultrasound hydrophones, 135
Piezoelectric, 37
Piezoelectric resonators, 140
Piezoelectricity, 1, 219, 322, 849
Plaque, 387, 417
Plasma, 654
Plate modes, 620
Plates, 849
PNNZT, 127
Point sources, 262
Poisson's ratio, 206
Polarization, 575, 676
Poly(ethylene terephthalate), 459
Polymer, 391
Polymeric liquid, 857
Porosity estimation, 531
Power sonics, 206
Practical use, 6
Precessional motion, 41
Pressure, 929
Pressure estimation, 93
Process monitoring, 598, 799
Process-water recycling, 711
Production of heat sink, 67
Propagating waves, 629
PSAM, 166
Pulsatile wave, 405
Pulse compression, 183
Pulse–echo, 1
Pulser, 553
Pumping depletion, 834
PZNT91/9 piezoelectric single crystal, 830
PZT ceramics, 830
PZT thin film, 33
PZT, 127

Quality, 717
Quality assurance, 852
Quality factor, 122
Quantum mechanics, 312
Quasi-collinear acousto-optic diffraction, 594

Radial standing waves, 654
Radiated ultrasound, 609
Radiation pressure, 26, 638
Random composites, 897
Ray tracing, 537
Rayleigh waves, 754, 909
Real time, 179
Real-time system, 381
Reflectance, 470
Reflection, 921
Reflection method, 698
Reflectometry, 909
Refraction effect, 424
Research issues, 6
Resonance, 200
Resonators, 849
Reverberant, 118
RF data processing, 363
Ribbed shell, 838

Sandwiched transducers, 965
SAW, 761
Scan conversion, 179
Scatterer spacing, 688
Scholte wave, 761
Self-oscillating circuit, 54
Self-oscillating ultrasonic motor, 54
Semiconductors, 849
Sensor surface vibration, 852
Separation processes, 647
Separation, 624
Shear, 470
Shear lag, 459
Shear strain, 400
Shear wave, 921
Shear waves, 909
Shell elasticity parameter, 969
Shell friction parameter, 969
Shlieren method, 671
Shock waves, 965
Sidelobes, 156
Signal detection, 961
Signal processing, 171
Size effect, 6
Size reduction, 345
Sizing, 731
Solid horn, 979
Solitons, 443
Sonar, 1, 171
Sonication, 633
Sonification, 723
Sonochemical luminescence, 671
Sonochemical reaction, 312
Sonochemistry, 666
Sonoluminescence, 559, 566
Sound apodization, 586
Sound field, 671
Sound field imaging, 852
Sound field reconstruction, 745
Sound frequency, 671
Sound intensity, 671
Sound speed, 708
Sound velocity, 546
Source location, 620
Source–detector separation, 620
Space- and time-resolved Brillouin light scattering, 443
Spatial averaging, 745
Spatial resolution, 745
Speckle tracking algorithm, 417
Spectral analysis, 717
Spectral shift, 412
Spectrogram, 620
Spin reorientation transition, 64
Spin-wave bullets, 443
Split spectrum techniques, 503
Stacked transducers, 965

Standard reflector, 698
Standing waves, 486, 629
Statistical signal processing, 500
Steel reinforcement, 534
Stochastic optimization, 161
Strain filter, 412
Strain, 412
Streaming, 624
Streaming control, 624
Stress, 821
Stress test, 381
Sub-harmonic excitation, 64
Subharmonic imaging, 93
Superalloys, 252
Superlattice, 761
Surface acoustic wave, 15, 51, 590
Surface acoustic waves, 508, 891
Surface layer, 459
Surface micromachining, 774
Surface waves, 749
Surfactants, 969
Synthetic aperture, 731
Synthetic aperture focusing, 739
Synthetic aperture imaging, 166

Ta_2O_5 thin film, 590
Tank, 118
Tanning, 723
Tantalum, 438
Tellurium dioxide, 594
Temperature, 273, 491
Texture, 438
Thermoelastic line source, 891
Thermoelectric measurements, 212
Thickness measurements, 486
Thin films, 450, 486
Three-dimensional imaging, 176
Three-dimensional, 731
Time reversal, 885
Time–frequency analysis, 620, 961
Time-resolved microscopy, 475
Time-varying, 682
Tissue characterization, 688, 708
Tomography, 1, 787, 813
Tool condition monitoring, 604
Torsional vibration, 122
Trabecular bones, 703
Tracking, 400
Transducer, 118, 122, 481, 979
Transducer design, 852
Transducer modelling, 662
Transducer voltage model, 237
Transducers, 151, 206, 331, 337, 774
Transfer function, 586
Transfer matrix, 537
Transient response, 381
Transverse acoustic wave, 470
Transverse estimators, 358
Transverse–torsional complex vibration disk, 67
Tribology, 212
Tubular transducer, 654
Tumor neovascularity, 105
Tunneling, 817
Two-dimensional array transducers, 127
Two-dimensional arrays, 176
Two-phase model, 703

Ultrafast mechanical displacement, 475
Ultrafast phenomena, 470
Ultrasonic, 37, 200, 542, 717, 953
Ultrasonic absorption, 868
Ultrasonic actuator, 26
Ultrasonic agglomeration, 647, 650
Ultrasonic air-coupled transducers, 781
Ultrasonic beam propagation, 749
Ultrasonic dewatering, 642
Ultrasonic imaging, 171, 252
Ultrasonic inspection, 527
Ultrasonic light diffraction, 575, 845
Ultrasonic micro-motor, 54
Ultrasonic motor, 15, 20, 33, 51, 72
Ultrasonic plastic welding, 72
Ultrasonic process monitoring, 809, 813
Ultrasonic pulse run-time, 424
Ultrasonic reflection, 842
Ultrasonic relaxation, 945
Ultrasonic seam welding, 67
Ultrasonic sensors, 799, 852
Ultrasonic separation, 647, 662
Ultrasonic short pulse generation, 145
Ultrasonic simulation, 481
Ultrasonic spectroscopy, 513
Ultrasonic standing wave, 624, 638
Ultrasonic testing, 739
Ultrasonic transducers, 140
Ultrasonic vibrational potential, 929
Ultrasonic waves, 703
Ultrasonic welding, 609
Ultrasonic wire bonding, 77, 212
Ultrasonics, 1, 224, 247, 312, 316, 430, 503, 546, 666, 727
Ultrasound, 1, 67, 87, 176, 256, 400, 412, 500, 531, 620, 629, 633, 657, 688, 698, 731, 767, 804, 834, 921, 929
Ultrasound assisted bioreactor, 711
Ultrasound contrast agents, 93, 105, 110
Ultrasound dispersion, 945
Ultrasound NDE, 522
Ultrasound propagation, 297, 546
Ultrasound transducers, 774
Ultrasound transmission tomography (UTT), 424
Ultrastructure, 633
Underwater acoustic sensor, 581
Underwater levitation, 60
US field modeling, 131
UT field, 176

Vascular tissue, 387
Vector velocity, 369
Vegetable extracts, 723
Velocity, 224
Velocity estimation, 358
Velocity gradient, 327
VHF/UHF range, 915
Viability, 629
Vibration converter with diagonal slits, 72
Vibration of welding tip, 77
Vibration system, 122
Vibrations, 849
Viscoelastic and anisotropic materials, 781
Viscoelastic properties, 237
Viscosity, 921
Visualization, 770

Watch mechanism, 54
Water content, 546
Wave dispersion, 620
Wave propagation, 195, 262, 897
Waves, 517, 821
Welding state, 609
Wigner–Ville distribution, 620
Wine bonding, 77

X-ray diffraction, 247
XRD characterization, 809

Yeast cells, 633
Young's modulus, 430

Zeolite synthesis, 809
Zeolites, 809